

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L.1	274	(reduc\$3) near3 (power signal near2 strength transmission signal\$3 signal near2 quality) same (call communication) near3 (drop\$4 or disconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:18
L.2	274	(reduc\$3 ateanuat\$3) near3 (power signal near2 strength transmission signal\$3 signal near2 quality) same (call communication) near3 (drop\$4 or disconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:18
L.3	118	2 and "455".clas.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:18
L.4	119	(reduc\$3 ateanuat\$3) near3 (power signal near2 strength transmission signal\$3 signal near2 quality) with (call communication) near3 (drop\$4 or disconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:19
L.5	52	4 and "455".clas.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:33
L.6	67	4 not 5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:38
L.9	2	"20030064761"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:44
L.10	0	9 and drop\$4 near2 call	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:45
L.11	1	9 and (call communication) near3 (drop\$4 or disconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:47

EAST Search History

L12	30	(link) near3 (drop\$4 or disconnect\$4) with (reduc\$3 or attenuat\$3 or debilitat\$4 or weaken\$3) near3 (power signal near2 strength signal\$3 connection communication)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:48
L13	4	"2006024687"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 13:04
L14	1	"20060246874"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:10
L15	1576	370/331.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:16
L16	2	"6526034".pn.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:25
L17	2	(detect\$3 or sens\$3) near4 (WLAN or local near2 network or cordless near2 network "802.11") with (drop\$4 or disconnect\$3 or atteanuat\$3 debilitat\$4) near3 (wwan wan wide near2 network cellular) near3 (network or link)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:28
L18	5	(detect\$3 or sens\$3) near4 (WLAN or local near2 network or cordless near2 network "802.11") with (drop\$4 or disconnect\$3 or atteanuat\$3 debilitat\$4) with (wwan wan wide near2 network cellular) near3 (network or link)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:30
L19	3	18 not 17	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:28
L20	5	(detect\$3 or sens\$3 proxim\$4) with (WLAN or local near2 network or cordless near2 network "802.11") with (drop\$4 or disconnect\$3 or atteanuat\$3 debilitat\$4) with (wwan wan wide near2 network cellular) near3 (network or link)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:31
L21	62	(WLAN or local near2 network or cordless near2 network "802.11") with (drop\$4 or disconnect\$3 or atteanuat\$3 debilitat\$4) near4 (signal network communication connection link) with (wwan wan wide near2 network cellular)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:43

EAST Search History

L22	126	(debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near2 (communication connection signal\$3) same ((handoff or handover or hand\$3 near2 (off or over)) same (cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:43
L23	16	L22 and 15	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 14:43
S1	10	(mut\$4 cancel\$5) near2 signal\$3 with ((cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device)) with (handoff or handover or hand\$3 near2 (off or over))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:11
S2	20	(mut\$4 cancel\$5) near2 signal\$3 with ((cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device)) same (handoff or handover or hand\$3 near2 (off or over))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:15
S3	10	S2 not S1	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:12
S4	40	(mut\$4 cancel\$5) near2 signal\$3 same ((cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device)) same (handoff or handover or hand\$3 near2 (off or over))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:13
S5	20	S4 not S2	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:13
S8	12	(attenuat\$4) near2 signal\$3 with ((handoff or handover or hand\$3 near2 (off or over)) with (cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:19
S9	14	(debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near2 signal\$3 with ((handoff or handover or hand\$3 near2 (off or over)) with (cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:26
S10	30	(debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near2 (communication connection signal\$3) with ((handoff or handover or hand\$3 near2 (off or over)) with (cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:33

EAST Search History

S11	16	S10 not S9	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:29
S12	126	(debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near2 (communication connection signal\$3) same ((handoff or handover or hand\$3 near2 (off or over)) same (cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:50
S13	96	S12 not S10	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:34
S14	24	S13 and 455/436-437.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:35
S16	72	S13 not S14	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:43
S17	42	S16 and "455".clas.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:47
S18	30	S16 not S17	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:47
S19	24	S18 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:49
S20	6	S18 not S19	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:49
S22	37	(debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near3 (signal near2 strength transmission) same ((handoff or handover or hand\$3 near2 (off or over)) same (cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:55

EAST Search History

S23	8	(debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near3 (signal near2 strength transmission) same (call communication) near3 (drop\$4 or disconnect\$4) same ((cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 10:59
S24	26	(attenuat\$3 debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near3 (signal near2 strength transmission signal\$3 signal near2 quality) same (call communication) near3 (drop\$4 or disconnect\$4) same ((cell communication electronic mobile portable wireless cellular subscriber user radio) near2 (telephone terminal handset unit phone station apparatus equipment device))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 11:04
S25	18	S24 not S23	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 11:00
S26	53	(attenuat\$3 debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near3 (signal near2 strength transmission signal\$3 signal near2 quality) same (call communication) near3 (drop\$4 or disconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 11:06
S27	27	S26 not S24	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 11:05
S28	103	(attenuat\$3 debilitat\$3 or weaken\$3 or disabl\$3 dissipat\$3 mitigat\$3) near3 (signal near2 strength transmission signal\$3 signal near2 quality) same (call communication) near3 (drop\$4 or disconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/11/06 12:17